









- Up to 144,000 sqft Per Charge
- 22 / 23 Gallons
- 20 26 inch decks

#### **Applications**

- Healthcare
- Grocery / Retail
- Education

20 & 26 in Disk Scrub Path: 20.24 & 28 in Orbital: 51, 61 & 71 cm Dimensions (L×W×H): 49" x 27" x 42" in\* \*Dimensions listed are for the largest width deck configuration and squeegees removed from the machin Step On Height: 11 in 28 cm\* **Solution Tank:** 22 Gal 83 L

**Recovery Tank:** 23 Gal 87 L **Demisting Chamber:** 0.75 Gal 3 L

Run Time:

\*Based on continuous scrubbing run times, standard batteries, low down pressure and all options off.

Up to 4 Hours\*

Theoretical Coverage: 36,000 sqft/hr\* 3,345 sgm/hr\* \*Coverage is based off of ISSA 2010 Cleaning Times


16,630 sqft/hr\* Practical Coverage: \*Coverage is based off of ISSA 2010 Cleaning Times

### **SCRUB DECKS**




# Disk

- **Brush / Pad Selection**
- **Lowest Maintenance Cost**
- Improved Cleaning on Irregular Floors
- Brushes Individually Driven for **Unmatched Performance**



# **Orbital**

- **Chemical Free Stripping**
- Reduce Slip & Fall Potential
- 70% Reduction in Water Usage
- Consistent Results No Swirl Marks
- VCT Prep & Recoat



#### OPTIONS



Degreaser Tank + 100 psi Spray Gun Use your preferred chemical to clean a wide range of surfaces. Desks, counter tops, chairs ect.



#### Lights

Designed to increase visibility during operation in low-light conditions. Strobe, Blue light, and dual LED headliahts.



WET / AGM / Lithium Battery Options Choose between a variety of battery options for optimal run and charge times based on the application and needs.




- NanoRade<sup>®</sup>
- Urethane
- Linatex<sup>®</sup>
- 5 Brush Fibers + Pad Driver



#### **ZerO3 Chemical Free Cleaning** Replace all-purpose floor cleaner with one of Earth's most powerful oxidizers

- On Demand Aqueous Ozone.
- Clean with water & Ozone alone
- · Safe, affective and sustainable



#### **Roll Out Battery Box**

Service batteries with ease using the optional roll out battery box.

- Access Batteries with no prep
- · Heavy Duty Locking Pin



#### **Optional Membrane & LCD**


- Easy Scrub Button
- Eco Mode
- Hour Meters
- Three Scrub Pressure Settings
- Three Water Settings
- Service Screen

Images may include options that are not included standard


K-K22R-BROCHURE

#### UNDER THE HOOD - EASY ACCESS

#### APPLICATIONS



## ALL STEEL FRAME



#### Warehouse



Our scrubbers are sought-after in warehouses and distribution centers for their efficiency and scrubbing abilities cleaning dusty floors while leaving them dry and safe.

#### Food & Beverage



The high cleanliness standards of the food and beverage industry necessitate the use of innovative floor scrubbing solutions to ensure a safe and hygienic environment for both production and consumption.

### Manufacturing



As a large manufacturer we understand the unique requirements of production companies. We provide equipment that manages the cleaning needs arising from the processing of various materials like steel, plastics and wood.



# Assembled By Hand

Our American workforce hand-builds each machine with components sourced almost 90% from American suppliers. We routinely pay more for these domestically supplied components required to build a superior product. All design, prototyping, production and testing is done in-house where we can best control quality.


## **Our Family's American Dream**

**RPS** has been family owned from its inception in 1986, and proudly builds in Wisconsin (USA). The company has grown over the last 35-years with a strong group of executives including the 2nd generation of family owners who started in the shop as youngsters.

## **Build Sustainability**

We design our equipment with a high percentage of recyclable components and operate our facilities with energy and water conservation as priority.

## DECK AND SQUEEGEE CLEARANCE GUIDE



31" Doorway Opening

34" squeegee standard on 26" deck. Tight isle squeegee optional

**Authorized Distributor**